

Nº 47386

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 7 1983

Returned to applicant for correction.

Corrected application filed.

Map filed SEP 27 1983 under 46963

The applicant Stauffer Chemical Company (Agricultural Chemicals Division)

P.O. Box 1029, of Henderson  
Street and No. or P.O. Box No. City or Town

Nevada 89015, hereby make S application for permission to appropriate the public  
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) July 24, 1953 Delaware

1. The source of the proposed appropriation is Underground water  
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is one second-feet  
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.

3. The water to be used for Environmental Control Purposes  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.

(b) Stockwater, state number and kinds of animals to be watered.

(c) Other use (describe fully under "No. 12. Remarks" See No. 12

(d) Power:

(1) Horsepower developed.

(2) Point of return of water to stream.

5. The water is to be diverted from its source at the following point SW1/4 of the NW1/4 of Sec.12,  
Describe as being within a 40-acre subdivision of public  
T.22S., R.62E., MDM. At a point N 20°38'30"W. and 1479.16 ft from the NW  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
corner of Sec.12, T.22S., R.62 E.

6. Place of use NE1/4 of the NE1/4 of Sec.11., T.22S., R.62E., MDM. At a point  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
N 10°54'25"E and 949.19 ft, from the NE corner of Sec. 11, T.22s., R.62E.

7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 10 wells pumping through pipes to water quality improvement facility, and thence to a groundwater recharge facility, also by pipes.  
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$2million plus

10. Estimated time required to construct works 6 months  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use 1 year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

No water will be consumed as a result of the intercept, treatment, and recharge operations. Each well will be in support of each other for a total withdrawal of one second foot throughout the year on a continuous basis. The treated water will be recharged by percolation downgradient. There will be a 100% return to groundwater.

By s/Lee E. Erickson  
636 California Street  
San Francisco, Ca 94108  
Compared bl/js jm/br  
Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance for pollution control as mandated by Order dated April 4, 1983 from the Nevada Division of Environmental Protection, and the right will cease to exist when the Order is fully complied with. A totalizing meter must be installed to the inlet of the treatment plant and a measuring device placed on the outlet of the treatment plant and records of these measurements shall be submitted on an annual basis. It is also understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to other ground-water development in the area. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of water granted herein at any and all times.

This permit is issued as a non-consumptive use.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before February 27, 1985

Proof of completion of work shall be filed before March 27, 1985

Application of water to beneficial use shall be made on or before February 27, 1989

Proof of the application of water to beneficial use shall be filed on or before March 27, 1989

Map in support of proof of beneficial use shall be filed on or before

Completion of work filed MAY 02 1985 IN TESTIMONY WHEREOF, I PETER G. MORROS,  
State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed my office, this 27th day of February

Cultural map filed A.D. 1984

Certificate No. Issued

